






**PAGER** 

Version 6


## M 5.8, Bonin Islands, Japan region

Origin Time: 2022-01-03 21:08:51 UTC (Tue 06:08:51 local) Location: 27.1965° N 141.5457° E Depth: 40.0 km

Created: 1 week, 3 days after earthquake



and economic losses. There is a low likelihood of casualties and damage.





Estimated Population Exposed to Earthquake Shaking

							<u> </u>			
ESTIMATED POPULATION EXPOSURE (k=x1000)		_*	2k	0	0	0	0	0	0	0
ESTIMATED MODIFIED MERCALLI INTENSITY		I	11-111	IV	V	VI	VII	VIII	IX	X+
PERCEIVED SHAKING		Not felt	Weak	Light	Moderate	Strong	Very Strong	Severe	Violent	Extreme
POTENTIAL DAMAGE	Resistant Structures	None	None	None	V. Light	Light	Moderate	Mod./Heavy	Heavy	V. Heavy
	Vulnerable Structures	None	None	None	Light	Moderate	Mod./Heavy	Heavy	V. Heavy	V. Heavy

<sup>\*</sup>Estimated exposure only includes population within the map area.

# Population Exposure





#### **Structures**

Overall, the population in this region resides in structures that are resistant to earthquake shaking, though vulnerable structures exist. The predominant vulnerable building types are heavy wood frame and reinforced/confined masonry construction.

### **Historical Earthquakes**

Date	Dist.	Mag.	Max	Shaking
(UTC)	(km)		MMI(#)	Deaths
1982-01-01	115	6.6	VII(2k)	_

### Selected City Exposure

from GeoNames.org

MMI City **Population** 

bold cities appear on map.

(k = x1000)

PAGER content is automatically generated, and only considers losses due to structural damage. Limitations of input data, shaking estimates, and loss models may add uncertainty.

Event ID: us7000g8rm